

Wisconsin Healthy People 2010 Local Data Package

Developed by the Bureau of Health
Information and Policy in the
Division of Public Health

February, 2005 Edition


Wisconsin Department of Health and Family Services

Iowa County

Leading Health Indicators


Binge Drinking

Adults 18+ who consumed 5 or more drinks on one occasion in the past 30 days
Southern Region



Tobacco Use


Adults 18+ who currently smoke cigarettes
Southern Region



Obesity and Overweight, 2000-2002

Percent of adults 18+ obese and/or overweight based on Body Mass Index (BMI)


Southern Region



Regular and Vigorous Physical Activity


Adults 18+ who exercise 20 minutes or more at 50% of aerobic capacity,
3 or more times per week

Southern Region



Health Insurance Coverage


Adults 18+ with coverage entire preceding year
Southern Region



Mortality

Mortality Due to Coronary Heart Disease


Rates per 100,000 population, age-adjusted to year 2000 standard population
Iowa County



Mortality Due to Cerebrovascular Disease

Rates per 100,000 population, age-adjusted to year 2000 standard population


Iowa County



Source: Wisconsin
resident death
certificates (BHIP,
DHFS)


Mortality Due to Lung Cancer

Rates per 100,000 population, age-adjusted to year 2000 standard population
Iowa County




Mortality Due to Breast Cancer

Rates per 100,000 female population, age-adjusted to year 2000 standard population
Southern Region



Cerebrovascular Disease Deaths, 1998-2002


number of deaths
Iowa County



Source: Wisconsin
resident death
certificates (BHIP,
DHFS)

Lung Cancer Deaths, 1998-2002


Number of deaths
Iowa County



Source: Wisconsin
resident death
certificates (BHIP,
DHFS)


Breast Cancer Deaths, 1998-2002

Number of deaths
Iowa County



Source: Wisconsin
resident death
certificates (BHIP,
DHFS)

Cerebrovascular Disease Mortality Rates 1998 - 2002



Legend

Rates / 100,000 population



Regional Rates


Northeast	61.7
Northern	55.5
Southern	64.6
Southeast	64.0
Western	60.8

State Rate 62.3

2010 Target 48.0


* Rates are age-adjusted to year 2000 standard population

Coronary Heart Disease Mortality Rates 1998 - 2002



Legend

Rates / 100,000 Population




Regional Rates

Northeast	165.7
Northern	156.9
Southern	158.4
Southeast	179.5
Western	161.4

State Rate	169.0
2010 Target	166.0

* Rates are age-adjusted to year 2000 standard population

Lung Cancer Mortality Rates 1998 - 2002



Regional Rates

Northeast	46.5
Northern	48.6
Southern	47.7
Southeast	53.2
Western	47.8

State Rate	49.5
2010 Target	44.9

Legend

Rates / 100,000 Population

	30.3 - 43.9
	44.0 - 49.0
	49.1 - 54.2
	54.3 - 68.8
	< 50 Deaths (No Rate)


* Rates are age-adjusted to year 2000 standard population

Environmental Factors

Associated with Health

Hospitalizations for Asthma


Rates per 10,000 population, age-adjusted to year 2000 standard population
Iowa County



Children in Medicaid/WIC Screened for Lead

Percent of program-eligible children ever tested

Iowa County




Socioeconomic Indicators

Children In Poverty

Percent of children 0-17 below poverty level, 1999


Iowa County



Poverty: All Ages

Percent of total county population below poverty level, 1999

Iowa County



Median Income

1999 median household income (annual)

Iowa County

\$80,000

\$60,000

\$40,000

\$20,000

\$0

County income rank: 25th of 72


\$42,518

\$43,791

Source: U.S.
Census
2000, long
form sample
(U.S.
Census
Bureau)

Iowa County


Wisconsin



Maternal and Child Health


Infant Mortality

Deaths before age one per 1,000 live births
Southern Region



First-Trimester Prenatal Care, 2002


Percent of births to mothers who received early prenatal care
Iowa County



Source: Wisconsin
resident birth
certificates (BHIP,
DHFS)

Teen Births, 1998-2002

Number of births to mothers less than 20 years of age
Iowa County




Source: Wisconsin
resident birth
certificates (BHIP,
DHFS)

Injury and Violence

Motor Vehicle Crashes Related to Alcohol

Percent of crashes where alcohol was a factor
Iowa County




Source: Wisconsin
Department of
Transportation

Sexually Transmitted Diseases

Sexually Transmitted Diseases

Number of chlamydia and gonorrhea cases reported, 1998-2002

Iowa County



Source: Wisconsin
Division of Public
Health (DHFS)